



Effective Date: May 10, 2016

Product #(s) – 64712

Safety Data Sheet

For Emergency Call:
CHEM-TEL (800) 255-3924 24 Hour Assistance

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Zecol High-Performance Glass Cleaner

CAS Number: 7732-18-5 / 111-76-2 / 67-63-0

Recommended Uses: Glass Cleaner

Company Identification

Manufacturer's Name: ZECOL PRODUCTS COMPANY

Address: 4635 Willow Drive, Medina, MN 55340

Telephone – General Information: (763) 478-3438

2. HAZARDS IDENTIFICATION

Hazard Classes: None

Signal Word: None

Hazard Statements: None

Precautionary Statements:

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children,
P103 Read label before use.

Hazard Pictograms: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	Typical Weight Percentage	CAS Number
Water	93-94%	7732-18-5
2-Butoxy Ethanol	3%	111-76-2
Isopropyl Alcohol	3%	67-63-0

4. FIRST AID

Eyes: If irritation or redness develops, move victim away from exposure and into fresh air. Flush eyes with clean water. If symptoms persist, seek medical attention.



Effective Date: May 10, 2016

Product #(s) – 64712

Skin: First aid is not normally required. However, it is good practice to wash any chemical from the skin.

Inhalation: First aid is not normally required. If breathing difficulties develop, move victim away from source of exposure and into fresh air. Seek immediate medical attention

Ingestion: First aid is not normally required. However, if swallowed and symptoms develop, seek medical attention.

Medical Conditions: None known.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Use material that is appropriate for the surrounding fire.

Specific Hazards: None known.

Hazardous Combustion Products: None anticipated.

Special Firefighting Procedures: For fires beyond the initial stage, emergency responders in the immediate hazard area should wear bunker gear. When the potential chemical hazard is unknown, in enclosed or confined spaces, or when explicitly required by DOT, a self-contained breathing apparatus should be worn. In addition, wear other appropriate protective equipment as conditions warrant (see Section 8). Isolate immediate hazard area and keep unauthorized personnel out. Cool equipment exposed to fire with water, if it can be done with minimal risk.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: None anticipated

Environmental Precautions: Stop spill/release if it can be done with minimal risk. Prevent spilled material from entering sewers, storm drains, other unauthorized treatment drainage systems, and natural waterways.

Methods for Containment and Clean-Up: Immediate cleanup of any spill is recommended. Dike far ahead of spill for later recovery or disposal. Absorb spill with inert material such as sand, earth or other non-combustible material, and place in suitable container for disposal.

7. HANDLING AND STORAGE

Precautions for Safe Handling: Use good personal hygiene practice.

Conditions for Safe Storage: Store only in approved containers. Protect container(s) against physical damage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Component	ACGIH TLV	ACGIH STEL	OSHA PEL	OSHA STEL
2-Butoxyethanol	20 ppm	---	50 ppm (skin)	---



Effective Date: May 10, 2016

Product #(s) – 64712

Engineering Controls: If current ventilation practices are not adequate to minimize exposure, additional ventilation or exhaust systems may be required.

Specific Personal Protective Equipment

Eye/Face Protection: While contact with this material is not expected to cause irritation, the use of approved eye protection to safeguard against potential eye contact is considered good practice.

Skin: Not required based on the hazards of the material. However, it is considered good practice to wear gloves when handling chemicals.

Respiratory Protection: Respiratory protection is not usually required.

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use. Air-purifying respirators provide limited protection and cannot be used in atmospheres that exceed the maximum use concentration as directed by regulation or the manufacturer's instructions, in oxygen deficient (less than 19.5% oxygen) situations or under conditions that are immediately dangerous to life and health (IDLH).

Use a positive pressure air supplied respirator if there is potential for uncontrolled release, exposure levels are unknown, or any other circumstances where air-purifying respirators may not provide adequate protection.

Other Protective Equipment: A source of clean water should be available in the work area for flushing eyes and skin. Impervious clothing should be worn as needed.

Suggestions provided in this section for exposure control and specific types of protective equipment are based on readily available information. Users should consult with the specific manufacturer to confirm the performance of their protective equipment. Specific situations may require consultation with industrial hygiene, safety, or engineering professionals.

9. PHYSICAL AND CHEMICAL PROPERTIES (approximate values)

Appearance: Clear

Odor: Mild

Odor threshold: No data

pH: Not applicable

Melting/Freezing Point: 0°C / 32°F

Boiling point (at 1 atm): 100°C / 212 °F

Flash Point: Non-flammable

Auto-Ignition Temperature: Non-flammable

Evaporation rate (butyl acetate = 1): No data

Flammability (solid, gas): Not applicable

Explosive Limits: Non-flammable

Vapor Pressure: No data

Vapor Density (air = 1): >1

Specific gravity (H₂O = 1): 1 @ 20°C / 68 °F

Solubility in water: Soluble

Partition Coefficient: No data

Decomposition Temperature: No data

Viscosity: No data



Effective Date: May 10, 2016

Product #(s) – 64712

10. STABILITY AND REACTIVITY

Stability (thermal, light, etc.): Stable under normal conditions of storage and handling.

Conditions to Avoid: None known

Incompatibility (materials to avoid): Avoid contact with strong acids and bases, strong oxidizing agents, aluminum, tin and their alloys, leather and wool

Hazardous Decomposition Products: Carbon and sulfur oxides.

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity:

Product/Ingredient Name	Result	Species	Dose
Glass Cleaner	LD50 Oral	---	>5 g/kg
	LD50 Dermal	---	>2 g/kg
	LC50 Inhalation	---	>20 mg/l
2-Butoxyethanol	LD50 Oral	Rat	1750 mg/kg
	LD50 Dermal	Rabbit	435 mg/kg
	LC50 Inhalation (vapor)	Rat	2.17-2.34 mg/l - 4 hr.
Isopropyl Alcohol	LD50 Oral	Rat	5045 mg/kg
	LD50 Dermal	Rabbit	12,800 mg/kg
	LC50 Inhalation (vapor)	Rat	19,00 ppm – 8hr.

Skin Corrosion/Irritation: Not an irritant.

Serious Eye Damage/Irritation: May be a mild eye irritant.

Signs and Symptoms: High concentrations may cause irritation of nose, throat and digestive tract.

Skin Sensitization: None reported

Respiratory Sensitization: None reported

Germ Cell Mutagenicity: None reported

Carcinogenicity: None reported. It is not listed by NTP, IARC or OSHA.

Reproductive Toxicity: None reported

Specific Target Organ Toxicity (Single Exposure): None reported.

Specific Target Organ Toxicity (Repeated Exposure): Although ethylene glycol butyl ether is not classified for target organ toxicity, animal data indicates effects on the blood (hemolysis) with



Effective Date: May 10, 2016

Product #(s) – 64712

secondary effects on the liver and kidney. Human red blood has been shown to be significantly less sensitive to hemolysis than those of rodents and rabbits

12. ECOLOGICAL INFORMATION

Toxicity: Material is primarily water and therefore is aquatically non-toxic.

Ingredient Name	Result	Species	Exposure
2-Butoxyethanol	Acute LC50 = 1000 mg/L Fresh Water	Fish	96 hrs.
	Acute LC50 = 1550 mg/L Fresh Water	Daphnia	48 hrs.
	Acute EC50 = 911 mg/L Fresh Water	Algae	72 hrs.
	Chronic NOEC \geq 100 mg/l Fresh Water	Fish	21 days
Isopropyl Alcohol	Acute EC50 = 9714 mg/L Fresh Water Acute LC50 = >10,000 mg/L Fresh Water	Invertebrate	24 hrs.

Persistence and Degradability: Minor components are not biodegradable.

Bioaccumulative Potential: No data

Mobility in Soil: Not applicable

Other Adverse Effects: None known

13. DISPOSAL CONSIDERATIONS

The generator of a waste is always responsible for making proper hazardous waste determinations and needs to consider state and local requirements in addition to federal regulations.

Recycle wherever possible. Large volumes may be suitable for re-distillation or, if contaminated, incinerated. Can be disposed of in a sewage treatment facility.

This material, if discarded as produced would not be a federally regulated RCRA hazardous waste. Use which results in chemical or physical change of this material could subject it to additional regulation as a hazardous waste.

14. TRANSPORT INFORMATION

DOT/TDG Proper Shipping Name: Not Regulated
DOT/TDG Identification Number: Not Regulated
DOT Hazard Class: None / **TDG Hazard Class:** None
DOT/TDG Packing Group: Not Regulated
ERG Guide Number: None
Marine Pollutant: No

15. REGULATORY INFORMATION

TSCA: Components are listed on the TSCA inventory.



Effective Date: May 10, 2016

Product #(s) – 64712

DSL: Components are listed on the DSL inventory.

OSHA (Occupational Safety and Health Administration): This material is NOT considered to be hazardous as defined by the OSHA Hazard Communication Standard.

This material has not been identified as a carcinogen by NTP, IARC or OSHA

CERCLA/SARA – Section 302 Extremely Hazardous Substances and TPQ (in pounds): This material does NOT contain chemicals subject to the reporting requirements of SARA 302 and 40 CFR 355 Appendix A and B.

EPA (CERCLA) Reportable Quantity (in pounds): This material does NOT contain chemicals subject to the reporting requirements of 40 CFR 302.4.

CERCLA/SARA - Sections 311/312 (Title III Hazard Categories):

Acute: No Chronic: No Fire: No Reactivity: No

CERCLA/SARA – Section 313 and 40 CFR 372: This material contains the following chemicals subject to the reporting requirements of SARA 313 and SARA Title III and 40 CFR:

Component	Concentration	de minimis
Ethylene Glycol Butyl Ether	3%	1%

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material does NOT contain detectable chemicals known to the State of California to cause cancer and/or reproductive toxicity.

Canada:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains information required by the Regulations.

WHMIS Hazard Class: None

16. OTHER INFORMATION

Issue Date: May 10, 2016
Previous Issue Date: April 25, 2014
Change: Fixed typo in Sec. 3 Water percentage

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

The information in this document is believed to be correct as of the date issued. **HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE.** This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for this particular purpose and on the condition that he assumes the risk of his use thereof.